


REV.	LOC.	REVISION	DATE
B		Updated Logos	12/17/20



	Complies With ASTM F2409 And F1908 For Height And Spacing	 Regis® ALUMINUM FENCING	 <i>Transforming the Outdoor Living Experience™</i> 3446 US 6 EAST Bremen, IN 46506 diggerspecialties.com	DRAWN BY: EH DATE DRAWN: 12-07-2020	STYLE: 4220	REV.
				SCALE = 1":1" DRAFT NO.: 20201207-1E	AS SHOWN: $48\frac{1}{2}"$ T LOC: Z:\Aluminum\Regis\4000 Series\Updated Standard Drawings	

4

3

2

1






A

B

C

D

REV.	LOC.	REVISION	DATE
B		Updated Logos	12/17/20








Complies With ASTM
F2409 And F1908
For Height And Spacing



DRAWN BY: EH	STYLE:
DATE DRAWN: 12-07-2020	4220 Standard Gates Pool
SCALE = 1"=1"	AS SHOWN: 48 1/2" T
DRAFT NO.: 20201207-1E	LOC: Z:\Aluminum\Regis\4000 Series\Updated Standard Drawings
	REV. B

REV.	LOC.	REVISION	DATE
B		Updated Logos	12/17/20








Complies With ASTM
F2409 And F1908
For Height And Spacing



DRAWN BY: EH	STYLE:
DATE DRAWN: 12-07-2020	4220 Standard Gates
SCALE = 1"=1"	AS SHOWN: 54" T
DRAFT NO.: 20201207-1E	LOC: Z:\Aluminum\Regis\4000 Series\Updated Standard Drawings
	REV. B

REV.	LOC.	REVISION	DATE
B		Updated Logos	12/17/20



Complies With ASTM
F2409 And F1908
For Height And Spacing



DRAWN BY: EH	STYLE: 4220 Standard Gates Arched
DATE DRAWN: 12-07-2020	AS SHOWN: 54" T
SCALE = 1"=1"	LOC: Z:\Aluminum\Regis\4000 Series\Updated Standard Drawings
DRAFT NO.: 20201207-1E	REV. B